

# MH122-1A

Flat Surface Magnet Mounting Base, 40 lbs. Pull Strength, 1" (25.4 mm) OD, 0.680" (17.27 mm) Height, 1/4-28 Threaded Blind Tapped Hole




VIBRATION ANALYSIS HARDWARE



## Product Features

- ▶ Durable 17-4 Stainless Steel case
- ▶ High Strength Neodymium Iron Boron magnet optimizes pull strength and performance
- ▶ Maximum frequency response up to 10 kHz when paired with MH133-1A mounting target



## Specifications

Max Temperature	266°F (130°C)
Case Material	17-4 Stainless Steel
Magnet Material	Neodymium Iron Boron
Dimensions	1.00" (25 mm) OD, .68" (17 mm) Height
Pull Strength	40 lbs. (18 kg)
Sensor Mounting	1/4-28 Mounting Hole

## Chemical Compatibilities for Reference

- ▶ Gasoline - A
- ▶ Methanol - A
- ▶ Lubricants - A

## Compatibility

- ▶ Compatible with all sensors with 1/4"-28 mounting stud or bolt
- ▶ Conversion mounting studs sold separately

## Stock Product

Backed by our Unconditional Lifetime Warranty

[www.ctconline.com](http://www.ctconline.com) | [sales@ctconline.com](mailto:sales@ctconline.com) | 585-924-5900