



An SKF Group Brand



#599-F

#598CLR-B

#598-B

Adapter and insert mold make it fit different tube diameters

20V Battery Powered Grease Gun Series 598/599

Convenient lubrication tool provides high-end performance and reliability for industrial applications



www.alemite.com

CONVENIENT DUAL-SPEED 20V GREASE GUN

The convenient Alemite line of new 20V Li-ion grease guns are designed to professionally support all your manual lubrication tasks. The tool features a balanced, ergonomic design and weight for less physical strain. Tube adapters provide a high compatibility to locally used grease cylinders.

Its two-speed, dual-output capability lets you adjust for low- or high-volume lubrication points, all with one grease gun. It delivers 6 oz/min on high and 4 oz/min on low.

The tool has a convenient, built-in LCD screen providing real-time information. Pre-warning light signals allow you to take early action. During stall condition the LCD display will be illuminated with red backlight. The display shows exactly how much grease you have left in the tube and starts flashing when low grease condition occurs. Red flashing display alerts you if prime is lost for any reason or the gun runs out of grease.

The new Alemite Battery Powered Grease Gun is also available with a clear tube, to provide confidence the right grease is in use. This clear tube can also be purchased as an after-market option. Using an adapter, the grease gun can facilitate Australian 450-gram tube sizes as well.

With the 4.0 Ah battery you can significantly extend the run time of your grease gun. Whether you need the extended run time of the 4.0 Ah version, the flexibility of the smaller and lighter 2.5Ah battery, or the confidence to know exactly what grease you are using – the Alemite series 598/599 is the right tool for you!

BENEFITS

- Convenient design makes job more easy to do
- 2-speed, dual-output design allows adjust for low- or high-volume lubrication points
- Clear-tube option provides confidence the right grease is in use
- Provides high-end performance

FEATURES

- Max. peak pressure 10,000psi (690 bar)
- Max. operating pressure 6,000psi (413 bar)
- Output on high speed 6 oz/min (170 g/min)
- Output on low speed 4 oz/min (113 g/min)
- 48" hose
- 4-point stand-up design
- LCD display
- LED working light
- Bulk filler fitting and vent valve
- Shoulder strap



The two-speed, dual-output capability lets you adjust for low- or high-volume lubrication points.



The tool has a convenient, built-in LCD screen providing real-time information.



The grease gun is available with a clear tube, to provide confidence the right grease is in use.

THE RIGHT TOOL FOR YOU



BPGG with 2.5Ah battery
Part# 598-B

BPGG with 4.0Ah battery
Part# 599-B



The grease gun's four-leg feature keeps the tool upright, within reach and away from the dirt and debris.



The gun is equipped with a vent valve for trouble free priming. A fitting supports bulk filling.



The hose clips securely keep the 48-inch high-pressure hose against the grease gun and at your fingertips. Spring guards prolong the hose life by preventing kinking.



An SKF Group Brand



Part# 599-B



Part# 598-B



Part# 598CLR-B



Part# 599-F

20V BATTERY POWERED GREASE GUN

Product #	Description	INCLUDED ITEMS	Region of use
598-B	20V 2.5Ah BPGG	Standard tube, 2x 2.5Ah batteries, 1x charger	North America
598CLR-B	20V 2.5Ah BPGG	Clear-tube, 2x 2.5Ah batteries, 1x charger	North America
599-B	20V 4.0Ah BPGG	Standard tube, 2x 4.0Ah batteries, 1x charger	North America
599-F	20V 2.5/4.0Ah BPGG	Australian tube & Adapter, 1x 4.0Ah & 1x 2.5Ah batteries, 1x charger	Australia



Scan the code to go to Alemite.com to discover all details of the 598/599 series.



5148 North Hanley Road
St. Louis, MO 63134
Toll Free U.S.: 866-4-ALEMITE (866-425-3648)
Toll Free Canada: 800-267-8022
International: 803-802-0001
www.alemite.com
Alemite is an SKF Group Brand